

HYDRAULIC BOTTLE JACK



ITEM NO.	LIFTING WT (KG)	MINI. H (MM)	LIFTING H (MM)	ADJUST. H (MM)	MAX. H (MM)
LMACS-B5402	2	158	90	60	308
LMACS-B5404	4	195	125	60	380
LMACS-B5406	6	197	125	60	382
LMACS-B5408	8	205	125	60	390
LMACS-B5410	10	205	125	60	390
LMACS-B5412	12	215	125	60	400
LMACS-B5416	16	225	140	60	425
LMACS-B5420	20	244	145	60	449
LMACS-B5432	32	285	180		465
LMACS-B5450	50	300	180		480

HYDRAULIC BOTTLE JACK



ITEM NO.	LIFTING WT (KG)	MINI. H (MM)	LIFTING H (MM)	ADJUST. H (MM)	MAX. H (MM)
LMACS-B5402SH-5	2	150	80	55	285
LMACS-B5403SH-5	3	158	90	60	308
LMACS-B5404SH-5	4	158	90	60	308
LMACS-B5405SH-5	5	195	125	60	380
LMACS-B5406SH-5	6	195	125	60	380
LMACS-B5408SH-5	8	197	125	60	382
LMACS-B5410SH-5	10	205	125	60	390
LMACS-B5412SH-5	12	205	125	60	390
LMACS-B5415SH-5	15	210	125	60	395
LMACS-B5416SH-5	16	210	125	60	395
LMACS-B5420SH-5	20	225	140	60	425
LMACS-B5430SH-5	30	245	145		390
LMACS-B5450SH-5	50	285	180		465

HYDRAULIC FLOOR JACK



ITEM NO.	CAPACITY (TON)	MIN. H (MM)	LIFTING H (MM)	MAX. H (MM)
LMACS-J5320-2	2	125	175	295
LMACS-J5330-2	3	135	360	495

HYDRAULIC LONG TROLLEY JACK



ITEM NO.	CAPACITY (TON)	STROKE (MM)
LMACS-J5202	2	140-800
LMACS-J5203A	3	130-670
LMACS-J5203B	3	145-610
LMACS-J5205A	5	160-560
LMACS-J5205B	5	165-550
LMACS-J5210	10	200-550
LMACS-J5215	15	180-720
LMACS-J5220	20	180-680

SCISSORS JACK



ITEM NO.	CAPACITY (TON)	CLOSED HEIGHT (MM)	MAX. HEIGHT (MM)
LMACS-S5350A	0.75	85	315
LMACS-S5351H	1.5	105	380
LMACS-S5352B	2	105	385
LMACS-S5352B-1	2	98	440
LMACS-S5352SH-5	2	90	315
LMACS-S5355SH-5	1.5	125	380

JACK STAND



ITEM NO.	CAPACITY (TON)	MIN. H (MM)	LIFTING H (MM)	MAX. H (MM)
JKS-002A	2	280	145	425
JKS-003A	3	285	140	425
JKS-006	6	395	210	605
JKS-012	12	487	261	748
JKS-002B	2	280	75	355
JKS-002C	2	265	100	365
JKS-003B	3	280	75	355

HYDRAULIC MOTORCYCLE LIFT TABLE



ITEM NO.	CAPACITY (LBS)	MIN. H (MM)	LIFTING H (MM)	MAX. H (MM)
MTLTB-300	300	355	540	895
MTLTB-1510A	1500	146	274	420
MTLTB-1510B	1500	143	274	420
MTLTB-1101	1100	85	255	340
MTLTB-1102	1100	90	315	405
MTLTB-1103	1100	85	255	340