



## RING TONGUE TERMINALS



ITEM NO.	WIRE RANGE		DIMENSION (MM)			THICKNESS (MM)	FIG
	MM	AWG #	D	W	E		
LMNTM-001	0.5-1.3	20-16	4.3	8.0	11.1	0.5	A
LMNTM-002	0.5-1.3	20-16	4.3	8.0	9.7	0.5	A
LMNTM-003	0.5-1.3	20-16	5.3	8.0	9.7	0.5	A
LMNTM-004	0.5-1.3	20-16	4.3	8.0	9.7	0.4	A
LMNTM-005	2.0-3.5	14-12	4.4	8.0	9.4	0.5	A
LMNTM-006	0.5-1.3	20-16	4.3	8.5	11.1	0.8	A
LMNTM-007	0.5-2.0	20-14	3.3	8.5	11.1	0.5	A
LMNTM-008	0.5-2.0	20-14	3.7	8.5	11.1	0.5	A
LMNTM-009	0.5-2.0	20-14	4.3	8.5	11.1	0.5	A
LMNTM-010	0.5-2.0	20-14	5.3	8.5	11.1	0.5	A
LMNTM-011	0.5-2.0	20-14	5.4	9.2	11.6	0.5	A
LMNTM-012	0.5-2.0	20-14	6.4	9.2	11.6	0.5	A
LMNTM-013	2.0-3.5	14-12	5.4	9.2	11.6	0.5	A
LMNTM-014	0.5-1.3	20-16	5.4	10.0	13.0	0.6	B
LMNTM-015	0.5-1.3	20-16	6.4	10.0	13.0	0.6	B
LMNTM-016	2.0-3.5	14-12	6.4	10.0	13.0	0.6	B
LMNTM-017	0.5-2.0	20-14	5.4	12.0	14.2	0.6	B
LMNTM-018	0.5-2.0	20-14	6.4	12.0	14.2	0.6	B
LMNTM-019	0.5-2.0	20-14	8.6	13.5	15.8	0.6	B
LMNTM-020	0.5-1.25	20-16	8.6	13.5	15.8	1.0	B
LMNTM-021	0.5-1.3	20-16	11.0	15.9	19.8	0.5	B
LMNTM-022	0.5-1.3	20-16	13.0	15.9	19.8	0.5	B
LMNTM-023		22-18	4.40	7.5	9.40	0.5	A

\*. Materials : BRASS

\*. LOOSE & SERIAL TYPE

## SPADE TONGUE TERMINALS



ITEM NO.	WIRE RANGE		DIMENSION (MM)			THICKNESS (MM)	FIG
	MM	AWG #	D	W	E		
LMNTM-031	0.2-0.5	24-20	3.7	7.4	7.6	0.5	B
LMNTM-032	0.2-0.5	24-20	4.3	7.4	7.6	0.5	B
LMNTM-033	0.2-0.5	24-20	5.2	7.4	7.6	0.5	B
LMNTM-034	0.5-1.3	20-16	3.7	7.4	7.6	0.5	B
LMNTM-035	0.5-1.3	20-16	4.3	7.4	7.6	0.5	B
LMNTM-036	0.5-1.3	20-16	5.2	7.4	7.6	0.5	B
LMNTM-037	0.5-2.0	20-14	3.7	7.4	7.6	0.5	B
LMNTM-038	0.5-2.0	20-14	4.3	7.4	7.6	0.5	B
LMNTM-039	0.5-2.0	20-14	5.2	7.4	7.6	0.5	B
LMNTM-040	2.0-3.5	14-12	5.2	7.4	7.6	0.8	B
LMNTM-051	0.5-2.0	20-14	6.5	12.0	14.8	0.8	A
LMNTM-052	0.5-2.0	20-14	6.5	12.0	14.8	0.6	A

## 250-TYPE SERIES TERMINALS



ITEM NO.	WIRE RANGE		DIMENSION (MM)			THICKNESS (MM)	REMARKS	FIG
	MM	AWG #	H	W	E			
LMNTM-061	2.0-3.5	14-12	3.1	7.6	7.8	0.45	TAB=0.8	A
LMNTM-062	0.5-2.0	20-14	3.1	7.6	7.8	0.45	TAB=0.8	A
LMNTM-063	0.3-0.8	22-18	3.1	7.6	7.8	0.45	TAB=0.8	A
LMNTM-064	0.5-2.0	20-14	3.2	7.6	7.8	0.4	TAB=0.8	A
LMNTM-065	0.22-0.5	24-20	3.1	7.6	7.8	0.4	TAB=0.8	A
LMNTM-066	0.5-2.0	20-14	3.1	7.6	7.8	0.4	TAB=0.8	A
LMNTM-067	0.5-2.0	20-14	3.2	7.6	7.8	0.4	TAB=0.8	A
LMNTM-071	0.3-0.8	22-18	0.8	6.2	7.8	0.4		B

\*. Materials : BRASS  
\*. LOOSE & SERIAL TYPE



## 250-TYPE SERIES TERMINALS




ITEM NO.	WIRE RANGE		DIMENSION (MM)			THICKNESS (MM)	REMARKS	FIG
	MM	AWG #	H	W	E			
LMNTM-081	2.0-3.5	14-12	0.8	6.0	14	0.4		A
LMNTM-082	0.8-13	18-16	0.8	6.0	14	0.4		A
LMNTM-083	0.3-0.8	22-18	0.8	6.0	14	0.4		A
LMNTM-091	0.5-2.0	20-14	2.85	7.5	7.5	0.3	TAB=0.8	B
LMNTM-092	0.22-0.5	24-20	2.85	7.5	7.5	0.3	TAB=0.8	B
LMNTM-093	2.0-3.5	14-12	2.85	7.5	7.5	0.3		B

## 250-TYPE SERIES TERMINALS



ITEM NO.	WIRE RANGE		DIMENSION (MM)			THICKNESS (MM)	REMARKS	FIG
	MM	AWG #	H	W	E			
LMNTM-101	2.0-3.5	14-12	0.8	6.0	14	0.4		A
LMNTM-102	0.5-2.0	20-14	0.8	6.0	14	0.4		A
LMNTM-103	0.3-0.8	22-18	0.8	6.0	14	0.4		A
LMNTM-111	2.0-3.5	14-12	2.85	7.5	7.5	0.3	TAB=0.8	B
LMNTM-112	0.5-2.0	20-14	2.85	7.5	7.5	0.3	TAB=0.8	B
LMNTM-113	0.22-0.5	24-20	2.85	7.5	7.5	0.3	TAB=0.8	B
LMNTM-114	0.5-2.0	20-14	2.8	7.5	7.5	0.3	TAB=0.6	B
LMNTM-115	2.0-3.5	14-12	2.9	7.5	7.8	0.3	TAB=0.8	B
LMNTM-116	0.5-2.0	20-14	2.9	7.5	7.8	0.3	TAB=0.8	B
LMNTM-117	0.22-0.5	24-20	2.9	7.5	7.8	0.3	TAB=0.8	B

## 4 Ø SHUR-PLUG TERMINALS



ITEM NO.	WIRE RANGE		DIMENSION (MM)		THICKNESS (MM)	FIG
	MM	AWG #	D	E		
LMNTM-121	0.5-2.0	20-14	3.5	8.3	0.4	A
LMNTM-122	0.5-2.0	20-14	3.5	9.0	0.4	A
LMNTM-123	0.5-1.3	20-16	3.5	7.4	0.4	A
LMNTM-131	0.5-2.0	20-14	3.5	6.3	0.4	B

\*. Materials : BRASS

\*. LOOSE & SERIAL TYPE




### 5 Ø SHUR-PLUG TERMINALS




ITEM NO.	WIRE RANGE		DIMENSION (MM)		THICKNESS (MM)	FIG
	MM	AWG #	D	E		
LMNTM-141	1.0-3.0	18-12	3.96	9.0	0.4	A
LMNTM-142	0.5-2.0	20-14	3.96	9.0	0.4	A
LMNTM-143	0.22-0.5	24-20	3.96	9.0	0.4	A
LMNTM-144	0.22-0.5	24-20	3.96	9.0	0.35	A
LMNTM-151	0.5-2.0	20-14	3.96	8.0	0.4	B
LMNTM-152	0.22-0.5	24-20	3.96	8.0	0.4	B
LMNTM-153	0.22-0.5	24-20	3.96	8.0	0.35	B

### 5 Ø EURO-PLUG TERMINALS



ITEM NO.	WIRE RANGE		DIMENSION (MM)			THICKNESS (MM)	FIG
	MM	AWG #	D	L	E		
LMNTM-161	0.5-1.3	20-16	4.57	22.6	12.0	0.4	A
LMNTM-166	0.5-1.3	20-16	4.57	20.0	10.5	0.4	B
LMNTM-167	0.5-1.3	20-16	4.57	22.3	11.7	0.4	B

### 4 Ø DOUBLE-TUBE TERMINALS




ITEM NO.	WIRE RANGE		DIMENSION (MM)			THICKNESS (MM)	FIG
	MM	AWG #	D	W	E		
LMNTM-171	0.5-1.3	20-16	3.5	11.0	8.0	0.35	C
LMNTM-172	0.5-1.3	20-16	3.5	11.0	8.0	0.3	C

\*. Materials : BRASS  
\*. LOOSE & SERIAL TYPE




## 250-TYPE FLAG SERIES RECEPTACLES TERMINALS




ITEM NO.	WIRE RANGE		DIMENSION (MM)		THICKNESS (MM)	REMARKS	FIG
	MM	AWG #	W	L			
LMNTM-181	1.3-20	16-14	7.6	16.7	0.4	TAB=0.8	A
LMNTM-182	1.3-2.0	16-14	7.6	16.7	0.4	TAB=0.6	A
LMNTM-186	0.5-2.0	20-14	7.7	13.0	0.5	TAB=0.8	B
LMNTM-187	0.5-2.0	14-12	7.7	13.0	0.5	TAB=0.8	B
LMNTM-188	0.5-2.0	20-14	7.7	13.0	0.5	TAB=0.6	B
LMNTM-191	0.5-2.0	20-14	7.6	14.8	0.5	TAB=0.8	C

## 250 SERIES FASTON RECEPTACLES FLAG



ITEM NO.	WIRE RANGE		DIMENSION (MM)		THICKNESS (MM)	REMARKS	FIG
	MM	AWG #	W	L			
LMNTM-196	0.8-2.0	18-14	8.0	14	0.45	TAB=0.8	A
LMNTM-197	0.2-0.5	24-20	8.0	14	0.45	TAB=0.8	A


## 2 Ø ELECTRONIC CONNECTOR



ITEM NO.	WIRE RANGE		DIMENSION (MM)			THICKNESS (MM)	FIG
	MM	AWG #	W	L	E		
LMNTM-201	0.3-0.8	22-18	2.0	20.5	12.8	0.25	A
LMNTM-202	0.8-1.25	18-16	2.0	20.5	12.8	0.25	A
LMNTM-206	0.3-0.8	22-18		20.5	12.8	0.25	B
LMNTM-207	0.8-1.25	18-16		20.5	12.8	0.25	B


\*. Materials : BRASS  
\*. LOOSE & SERIAL TYPE

## 250 SERIES FASTON TABS



ITEM NO.	WIRE RANGE		DIMENSION (MM)			THICKNESS (MM)	FIG
	MM	AWG #	P	W	E		
LMNTM-211			4.8	6.35	8.5	0.8	A
LMNTM-212			5.0	6.35	8.5	0.8	A
LMNTM-213			5.08	6.35	8.0	0.8	A
LMNTM-214			6.2	6.3	8.1	0.8	A


## BARE CONTACTS BUTTON TERMINALS & TERMINALS FOR FUSE



ITEM NO.	WIRE RANGE		DIMENSION (MM)						THICKNESS (MM)	FIG
	MM	AWG #	D	W	L	E	H	W1/WS		
LMNTM-221	0.3-0.8	22-18	4.5		7.4				0.4	A
LMNTM-222	0.5-1.3	20-16	4.5		7.4				0.4	A
LMNTM-226	0.5-2.0	20-14	6.2		9.8				0.4	B
LMNTM-231		28-24		1.3	9.7		1.9	1.95	0.2	C
LMNTM-236	0.8-1.3	18-16		4.4	18	8.2			0.4	G
LMNTM-237	0.3-0.8	22-18		4.4	18	8.2			0.4	G



\*. Materials : BRASS  
 \*. LOOSE & SERIAL TYPE

## BARE BUTT SPLICES





ITEM NO.	L (MM)	D Ø (MM)	d <sub>1</sub> Ø (MM)	ITEM NO.	L (MM)	D Ø (MM)	d <sub>1</sub> Ø (MM)
LMTB-1.25	15	3.3	1.7	LMTB-70	37	17.5	13.3
LMTB-2	15	4.0	2.3	LMTB-80	38	19.4	14.5
LMTB-5.5	15	5.5	3.4	LMTB-100	38	22.0	16.4
LMTB-8	21	7.14.5	4.5	LMTB-150	54	26.5	19.5
LMTB-14	26	9.0	5.8	LMTB-180	57	28.5	21.0
LMT -22	29	11.4	7.7	LMTB-200	63	32.5	24.0
LMTB-38	32	13.3	9.4	LMTB-325	72	37.0	28.0
LMTB-60	36	15.4	11.4	LMTB-70	37	17.5	13.3

## NON-INSULATED SOLDERLESS TERMINALS (RING TYPE)



ITEM NO.	A.W.G.	WIRE RANGE (MM <sup>2</sup> )	STUD SIZE	d <sub>2</sub> Ø(MM)	B(MM)	L(MM)	F(MM)	E(MM)	DØ(MM)	d <sub>1</sub> Ø(MM)	T(MM)
LMTJ-0.5	26-22	0.1-0.4	2	2.2	5.2	12.4	5.8	4	2.0	1.0	0.5
			3	3.2	5.2	12.4	5.8				
			4	4.3	6.6	12.4	7.7				
			5	5.3	8.0	15	7				
LMTJ-1.25	22-16	0.4-1.0	3S	3.2	5.5	11.2	4.0	4.5	3.3	1.7	0.8
			3	3.7	5.5	11.2	4.0				
			3M	3.7	6.6	14.1	6.3				
			4M	4.3	6.6	14.1	6.3				
			4	4.3	8	15.5	7.0				
			5	5.3	8	15.5	7.0				
			6	6.7	11.6	21.3	11.0				
			8	8.4	11.6	21.3	11.0				
LMTJ-2	16-14	1.1-2.6	3S	3.2	5.5	12.25	5	4.5	4	2.3	0.8
			3	3.7	8.5	16.5	7.75				
			3M	3.7	6.6	14.1	6.3				
			4M	4.3	6.6	14.1	6.3				
			4	4.3	8.5	16.5	7.75				
			5	5.3	9.5	17	7.75				
			6	6.7	12.0	21.5	11.0				
			8	8.4	12.0	21.5	11.0				
			10	10.5	13.6	25.2	13.9				
			12	13.0	19.0	30.7	16.7				
			14	15.0	27.0	39.0	21.0				
			16	17.0	27.0	39.0	21.0				
LMTJ-5.5	12-10	2.7-6.6	3S	3.7	7.2	15.7	5.9	6.5	5.5	3.4	1.0
			4S	4.3	7.2	15.7	5.9				
			4	4.3	9.5	19.5	8.25				
			5	5.3	9.5	19.5	8.25				
			6	6.7	12.0	25.5	13.0				


## NON-INSULATED SOLDERLESS TERMINALS (RING TYPE)



ITEM NO.	A.W.G.	WIRE RANGE (MM <sup>2</sup> )	STUD SIZE	d <sub>2</sub> Ø(MM)	B(MM)	L(MM)	F(MM)	E(MM)	DØ(MM)	d <sub>1</sub> Ø(MM)	T(MM)
LMTJ-5.5	12-10	2.7-6.6	8	8.4	15.0	27.0	13.0	6.5	5.5	3.4	1.0
			10	10.5	15.0	27.0	13.0				
			12	13.0	19.2	32.1	16.0				
			14	15.0	30.0	46.5	25.0				
			16	17.0	30.0	46.5	25.0				
			20	21.0	30.0	46.5	25.0				
LMTJ-8	8	6.7-10.5	4	4.3	12.0	23.8	9.3	8.5	7.1	4.5	1.2
			5	5.3	12.0	23.8	9.3				
			5L	5.3	15.0	29.8	13.8				
			6	6.7	12.0	23.8	9.3				
			6L	6.7	15.0	29.8	13.8				
			8	8.4	15.0	29.8	13.8				
			10	10.5	15.0	29.8	13.8				
			12	13.0	20.0	33.5	15.0				
			14	15.0	30.0	48.5	25.0				
			16	17.0	30.0	48.5	25.0				
			20	31.0	30.0	48.5	25.0				
LMTJ-70	2/0	60.6-76.2	10	10.5	24.0	51.0	20.0	19.0	17.5	13.3	2.0
			11	11.5	24.0	51.0	20.0				
			12	13.0	24.0	51.0	20.0				
			14	15.0	32.0	61.0	26.0				
			16	17.0	32.0	61.0	26.0				
			18	19.0	32.0	61.0	26.0				
			20	21.0	32.0	61.0	26.0				
			22	23.0	32.0	61.0	26.0				
LMTJ-80	3/0	76.3-97.0	6	6.7	27.0	54	20.5	20	19.4	14.5	2.3
			8	8.4	27.0	54	20.5				
			10	10.5	27.0	54	20.5				
			11	11.5	27.0	54	20.5				
			12	13.0	27.0	54	20.5				
			8L	8.4	32.0	68	20.5				
			10L	10.5	32.0	68	20.5				
			12L	13.0	32.0	68	20.5				
			14	15.0	32.0	68	32.5				
			16	17.0	32.0	68	32.5				
			18	19.0	32.0	68	32.5				
			20	21.0	32.0	68	32.5				
			22	23.0	32.0	68	32.5				
LMTJ-100	4/0	98.0-120	6	6.7	28.5	55.6	20.35	21.0	22.0	16.4	2.6
			8	8.4	28.5	55.6	20.35				
			10	10.5	28.5	55.6	20.35				
			11	11.5	28.5	55.6	20.35				
			12	13.0	28.5	55.6	20.35				
			8L	8.4	32.0	69.0	32.0				
			10L	10.5	32.0	69.0	32.0				
			12L	13.0	32.0	69.0	32.0				
			14	15.0	32.0	69.0	32.0				
			16	17.0	32.0	69.0	32.0				
			18	19.0	32.0	69.0	32.0				
			20	21.0	32.0	69.0	32.0				
			22	23.0	32.0	69.0	32.0				




### NON-INSULATED SOLDERLESS TERMINALS (SPADE TYPE)



ITEM NO.	A.W.G.	WIRE RANGE (MM <sup>2</sup> )	STUD SIZE	d <sub>2</sub> Ø(MM)	B(MM)	L(MM)	F(MM)	E(MM)	DØ(MM)	d <sub>1</sub> Ø(MM)	T(MM)
LMTY-1.25	22-16	0.4-1.0	3S	3.7	5.7	16.0	6.5	4.5	3.3	1.7	0.8
			3	3.7	6.2	16.0	6.5				
			4S	4.3	6.4	16.0	6.5				
			4	4.3	7.2	16.0	6.5				
			5	5.3	8.0	16.0	6.5				
			6	6.7	12.0	22.0	11.0				
LMTY-2	16-14	1.1-2.6	3S	3.7	5.7	16.0	6.5	4.5	4.0	2.3	0.8
			3	3.7	6.2	16.0	6.5				
			4S	4.3	6.4	16.0	6.5				
			4	4.3	7.2	16.0	6.5				
			5	5.3	8.0	16.0	6.5				
			6	6.7	12.0	23.0	11.0				
LMTY-5.5	14-10	2.7-6.6	3S	3.7	7.2	19.5	7.5	6.5	5.5	3.4	1.0
			3	3.7	8.2	19.5	7.5				
			4S	4.3	7.2	19.5	7.5				
			4	4.3	8.2	19.5	7.5				
			5	5.3	9.0	19.5	7.5				
			6	6.7	12.0	25.5	12.0				

### NON-INSULATED SOLDERLESS CABLE LUGS



ITEM NO.	STUD SIZE	d <sub>2</sub> Ø(MM)	d <sub>1</sub> Ø(MM)	DØ(MM)	B(MM)	E(MM)	K(MM)	F(MM)	L(MM)	T(MM)
LMTL-1	3	3.7	1.5	3.0	8	5.5	1.5	5	16	0.7
	4	4.3			8				16	0.7
	5	5.3			9				17	0.5
LMTL-1.5	3	3.7	1.9	3.4	8	6	2	5	17	0.8
	4	4.3			8				17	0.8
	5	5.3			9				18	0.5
LMTL-2.5	4	4.3	2.4	3.9	8	7	2	5	18	0.8
	5	5.3			8				18	0.8
	6	6.7			10				19	0.6
LMTL-4	5	5.3	2.8	4.5	10	7	2	6	20	1.0
	6	6.7			10				20	1.0
LMTL-6	5	5.3	3.8	5.5	10	9	3	6	23	1.2
	6	5.7			10				23	1.2
	8	8.4			12.6				25	0.8
LMTL-10	6	6.7	4.5	6.2	10	9	3	7	25	1.2
	8	8.4			12.6				26	1.5
LMTL-16	6	8.7	5.4	7.1	10	12	4	7	30	1.7
	8	8.4			12.6				30	1.2
LMTL-25	6	6.7	6.8	8.8	12.6	12	4	7	30	2.0
	8	8.4			12.6				30	2.0
	10	10.5			15				31	1.5