



Power Distribution Busbar



© LUMIACTION

Images are for representation purposes only. Confidential Information of LUMIACTION. Distribution without written permission is strictly prohibited. All information and product design may not be final and subject to change. The LUMIACTION items, though they are not genuine, are perfectly adaptable to the cars to which they make reference.





1. **POWER DISTRIBUTION BUSBAR**


• Dual Busbar (No Cover)	4
• Power Terminal Strip with Open Base and Cover	4
• Power Terminal Strip (Pill Shape)	5
• Power Terminal Strip (Cover Low-Profile)	7
• Power Terminal Strip (Flat Base with High Stud Length)	8
• Power Terminal Strip (Bridge Base)	10
• Power Distribution Block (Heavy Duty)	11
• Power Distribution Block (Heavy Duty & Full Cover)	13
• Power Terminal Stud	13
• Power Terminal Box	15
• Special Power Terminal Block	17

AUTOMOTIVE BATTERY POST TYPE


Top Post Automotive Battery




DIN



EN





SAE/JIS



JIS Pencil Post

Side Post Automotive Battery



Side Post Stud



Power Distribution Busbar



Dual Busbar (No Cover)



5 Terminal Dual-Row Terminal Block

Part Number	LMPB-A001
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	10*#8-32(Screw)
Dimension	7.6*4.5*1.5cm(L*W*H)
Material	ABS, Zinc-plated copper



10 Terminal Dual-Row Terminal Block

Part Number	LMPB-A002
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	20*#8-32(Screw)
Dimension	12.8*4.5*1.5cm(L*W*H)
Material	ABS, Zinc-plated copper

Power Terminal Strip with Open Base and Cover



8 Terminal Busbar Block and Cover

Part Number	LMPB-B001
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	6*M4(Screw) + 2*M6(Stud)
Dimension	13*2*5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



8 Terminal Dual-Row Busbar Block and Cover

Part Number	LMPB-B002
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	12*M4(Screw) + 4*M6(Stud)
Dimension	13*4*4.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



14 Terminal Busbar Block and Cover

Part Number	LMPB-B003
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	12*M4(Screw) + 2*M6(Stud)
Dimension	19*2*5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



14 Terminal Dual-Row Busbar Block and Cover

Part Number	LMPB-B004
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	24*M4(Screw) + 4*M6(Stud)
Dimension	19*4*4.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)

Power Terminal Strip (Pill Shape)



7 Terminal Screw Connection Busbar

Part Number	LMPB-C001
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	5*M4(Screw) + 2*M6(Stud)
Dimension	10.5X2.3X2.9 cm(LxWxH)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



6 Terminal Stud Connection Busbar

Part Number	LMPB-C002
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	6*M6(Stud)
Dimension	15*2.8*3.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



7 Terminal Stud Connection Busbar

Part Number	LMPB-C003
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	7*M6(Stud)
Dimension	15*2.8*3.2cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



10 Terminal Screw & Stud Terminal Block

Part Number	LMPB-C004
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	6*M4(Screw)+4*M8/M10(Stud)
Dimension	15*2.8*3.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



12-Circuit Screw Connection Busbar

Part Number	LMPB-C005
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	12*M4(Screw) + 2*M6(Stud)
Dimension	15*2.8*3.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



13 Terminal Thread & Screw Terminal Block

Part Number	LMPB-C006
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	10*M4(Screw) + 3*M8/M10(Stud)
Dimension	15*2.8*3.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)

Power Terminal Strip (Cover Low-Profile)



8 Terminal Screw Busbar Block and Cover

Part Number	LMPB-D001
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	6*M4(Screw) + 2*M6(Stud)
Dimension	19*5*5.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



10 Terminal Screw Busbar Block and Cover

Part Number	LMPB-D002
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	8*M4(Screw) + 2*M6(Stud)
Dimension	19*5*5.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



14 Terminal Screw Busbar Block and Cover

Part Number	LMPB-D003
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	12*M4(Screw) + 2*M6(Stud)
Dimension	19*5*5.5cm(LxWxH)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



5 Terminal Screw & Stud Busbar and Cover

Part Number	LMPB-D004
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	2*M4(Screw) + 3*M6(Stud)
Dimension	19*5*5.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



7 Terminal Screw & Stud Busbar and Cover

Part Number	LMPB-D005
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	3*M4(Screw) + 4*M6(Stud)
Dimension	19*5*5.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



10 Terminal Screw & Stud Busbar and Cover

Part Number	LMPB-D006
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	6*M4(Screw) + 4*M6(Stud)
Dimension	19*5*5.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)

Power Terminal Strip (Flat Base with High Stud Length)



7 Terminal Screw Connection Busbar

Part Number	LMPB-E001
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	5*M4(Screw) + 2*M5/M6(Stud)
Dimension	10.7*3.0*3.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



12 Terminal Screw & Stud Busbar and Cover

Part Number	LMPB-E002
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	10*M4(Screw) + 2*M6(Stud)
Dimension	15*2.8*3.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



14 Terminal Screw & Stud Busbar and Cover

Part Number	LMPB-E003
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	12*M4(Screw) + 2*M6(Stud)
Dimension	15*2.8*3.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



4 Terminal Stud Busbar and Cover

Part Number	LMPB-E004
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	4*M5/M6(Stud)
Dimension	15*2.8*3.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



6 Terminal Stud Busbar and Cover

Part Number	LMPB-E005
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	6*M5/M6(Stud)
Dimension	15*2.8*3.5cm(LxWxH)
Material	ABS, Zinc-plated copper



Power Terminal Strip (Bridge Base)



4 Terminal Stud Busbar and Cover

Part Number	LMPB-F001
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	4*M6(Stud)
Dimension	12*2*3.3cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



8 Terminal Screw & Stud Busbar and Cover

Part Number	LMPB-F002
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	6*M4(Screw) + 2*M6(Stud)
Dimension	12*2*3.3cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



4 Terminal Dual-Row Stud Busbar and Cover

Part Number	LMPB-F003
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	8*M6(Stud)
Dimension	12.1*4*3.3cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



8 Terminal Dual-Row Stud Busbar and Cover

Part Number	LMPB-F004
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	12*M4(Screw) + 4*M6(Stud)
Dimension	12.1*4*3.3cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



6 Terminal Stud Terminal Block and Cover

Part Number	LMPB-F005
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	6*M6(Stud)
Dimension	18.3*2*3.3cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



14 Terminal Screw & Stud Block and Cover

Part Number	LMPB-F006
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	12*M4(Screw) + 2*M6(Stud)
Dimension	18.3*2*3.3cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)



14 Terminal Dual-Row Screw & Stud Block and Cover

Part Number	LMPB-F007
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	24*M4(Screw) + 4*M6(Stud)
Dimension	18.3*4*3.5cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)

Power Distribution Block (Heavy Duty)



7 Terminal Screw & Stud Block and Cover

Part Number	LMPB-G001
Max. Voltage	300Vac/ 48Vdc
Max. Current	250A
Terminal Stud	3*M4(Screw) + 4*M8/M10(Stud)
Dimension	19*4.5*5.5cm(LxWxH)
Material	Zinc-plated copper, Nylon



10 Terminal Stud Busbar and Cover

Part Number	LMPB-G002
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	6*M4(Screw) + 4*M8/M10(Stud)
Dimension	19*4.5*5.5cm(L*W*H)
Material	Zinc-plated copper, Nylon



5 Terminal Stud Busbar and Cover for ANL Fuse

Part Number	LMPB-G003
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	2*M4(Screw) + 4*M10(Stud)
Dimension	22*5.0*6.0cm(L*W*H)
Material	Zinc-plated copper, Nylon



13 Terminal Dual-Row Stud Busbar and Cover

Part Number	LMPB-G004
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	10*M4(Screw) + 3*M6(Stud)
Dimension	19*5.0*6.0cm(L*W*H)
Material	Zinc-plated copper, Nylon



9 Terminal Dual-Row Screw & Stud Busbar and Cover

Part Number	LMPB-G005
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	8*M4(Screw) + 10*M8/M10(Stud)
Dimension	21*7.5*5.0cm(L*W*H)
Material	Zinc-plated copper, Nylon

Power Distribution Block (Heavy Duty & Full Cover)



12 Terminal Stud Terminal Block and Cover

Part Number	LMPB-H001
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	8*M4(Screw) + 4*M10(Stud)
Dimension	23.0*8.5*6.0cm(L*W*H)
Material	Zinc-plated copper, Nylon



13 Terminal Screw & Stud Block and Cover

Part Number	LMPB-H002
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	8*M4(Screw) + 5*M10(Stud)
Dimension	23.0*8.5*6.0cm(L*W*H)
Material	Zinc-plated copper, Nylon



16 Terminal Screw & Stud Block and Cover

Part Number	LMPB-H003
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	8*M4(Screw) + 8*M10(Stud)
Dimension	34.5*8.5*6.0cm(L*W*H)
Material	Zinc-plated copper, Nylon

Power Terminal Stud

Single Stud Terminal Block



Part Number	LMPB-J001
Max. Voltage	300Vac/ 48Vdc
Max. Current	80A
Terminal Stud	M8/M10(Stud)
Dimension	5.3x2.55x4.15cm(LxWxH)
Material	Zinc-plated copper, Nylon



Single Stud Terminal Block



Part Number	LMPB-J002
Max. Voltage	300Vac/ 48Vdc
Max. Current	80A
Terminal Stud	M6/M8/M10(Stud)
Dimension	4.3*4.6*3.27cm(L*W*H)
Material	Zinc-plated copper, Nylon

Double Stud Terminal Block (Connected)



Part Number	LMPB-J003
Max. Voltage	300Vac/ 48Vdc
Max. Current	80A
Terminal Stud	M6/M8/M10(Stud)
Dimension	4.3*4.6*3.27cm(L*W*H)
Material	Zinc-plated copper, Nylon

Double Stud Terminal Block (Disconnected)



Part Number	LMPB-J004
Max. Voltage	300Vac/ 48Vdc
Max. Current	80A
Terminal Stud	M6/M8/M10(Stud)
Dimension	4.3*4.6*3.27cm(L*W*H)
Material	Zinc-plated copper, Nylon

Single Stud Terminal Block



Part Number	LMPB-J005
Max. Voltage	300Vac/ 48Vdc
Max. Current	80A
Terminal Stud	M6/M8/M10(Stud)
Dimension	8.5*4.6*4.3cm(L*W*H)
Material	Zinc-plated copper, Nylon

9 Terminal Stud Terminal Block and Cover



Part Number	LMPB-J006
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 180A(Vdc)
Terminal Stud	8*M4(Screw) + M6/M8/M10(Stud)
Dimension	8.5*4.6*4.3cm(L*W*H)
Material	Zinc-plated copper, Nylon

Power Terminal Box

4 Terminal Stud Block and Cover



Part Number	LMPB-K001
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	4*M10(Stud)
Dimension	8.5*7.9*5.0cm(L*W*H)
Material	Zinc-plated copper, Nylon

4 Terminal Duo-Square Stud Block and Cover



Part Number	LMPB-K002
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	8*M10(Stud)
Dimension	16.8*7.9*4.0cm(L*W*H)
Material	Zinc-plated copper, Nylon

6 Terminal Stud Block and Cover



Part Number	LMPB-K003
Max. Voltage	300Vac/ 48Vdc
Max. Current	240A(Vac)/ 500A(Vdc)
Terminal Stud	4*M8(Stud) + 2*M10(Stud)
Dimension	12.4x8.6x4.65cm(LxWxH)
Material	Zinc-plated copper, Nylon



4 Terminal Stud Busbar and Cover



Part Number	LMPB-K004
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	4*M6/M8/M10(Stud)
Dimension	13.8*6.9*3.5cm(L*W*H)
Material	Zinc-plated copper, Nylon

8 Terminal Dual-Row Stud Busbar and Cover



Part Number	LMPB-K005
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	12*M4(Screw) + 4*M6(Stud)
Dimension	13.8*6.9*3.5cm(L*W*H)
Material	Zinc-plated copper, Nylon

2 Terminal Dual Stud Busbar and Cover



Part Number	LMPB-K006
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	4*M6/M8/M10(Stud)
Dimension	13.8*6.9*3.5cm(L*W*H)
Material	Zinc-plated copper, Nylon

A



Connected

B



Disconnected



Special Power Terminal Block

2 Terminal Stud Terminal Block and Cover



Part Number	LMPB-L001
Max. Voltage	300Vac/ 48Vdc
Max. Current	180A(Vac)/ 250A(Vdc)
Terminal Stud	2*M10(Stud)
Dimension	8.0*2.2*5.2cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)

10 Terminal Screw & Stud Block and Cover



Part Number	LMPB-L002
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	6*M4(Screw) + 4*M8(Stud)
Dimension	16.0*3.1*5.1cm(L*W*H)
Material	Zinc-plated copper, Nylon(Base), PC(Cover)

13 Terminal Screw & Stud Block and Cover



Part Number	LMPB-L003
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	12*M4(Screw) + 1*M6(Stud)
Dimension	33.2*13.5*14.3cm(L*W*H)
Material	Zinc-plated copper, Nylon

7 Terminal Dual-Row Stud Block and Cover



Part Number	LMPB-L004
Max. Voltage	300Vac/ 48Vdc
Max. Current	120A(Vac)/ 150A(Vdc)
Terminal Stud	6*M4(Screw) + 8*M10(Stud)
Dimension	13.5*7.5*3.8cm(LxWxH)
Material	ABS, Zinc-plated copper, PC(Cover)

Your best supplier in Taiwan & China since 1977

Lumiaction Headquarters

 9TH FL., NO.219 Chang Chun Road,
Taipei, R.O.C. (Taiwan) 10479

 +886 2 25036161

 info@lumiaction.co

Lumiaction Shanghai Branch

 555 ZhenYing Road, Qing-Pu Dst.
Shanghai 201712 China

